

Programming Guide to the VisTracks® Platform

Installation of Geotab Device for use with VisTracks, Inc.

Step 1 – Connect the device using Geotab to J1939 Adapter Cable




- The Geotab device plugs directly into the J1939 adapter cable. The cable then plugs into the vehicle's J1939 socket.
- After the device is plugged into the socket the blue and red LED starts blinking along with the beep which can be heard once.

Step 2 – Connect the one end of IOX-USB to the Geotab and by using USB cable connect it to the tablet.

- After connecting the USB cable to the tablet, there would be a dialog box coming up asking for the permission, press OK. And then it will open the VisTracks app.



Programming Guide to the VisTracks® Platform



Step 3 – Login to the device and manage the equipment

- On VisTracks app, tap on the Vehicles name, then Manage the equipment and enable “Use Calculated Engine Hours”.
- Save the changes made.


Programming Guide to the VisTracks® Platform



Step 4 – Connecting the device to the VisTracks app.


Programming Guide to the VisTracks® Platform

- Turn on the Engine of the vehicle.
- On the VisTrack app, on the main dashboard, tap the 'Connect' button which is located below the app header to display the 'Connect to Vehicle' dialog.
- At this point, 2 options were present in order to establish a connection to the VBUS device: Manual Connection and Auto Connection.
 - **Auto Connection:**
 - Tap on the Connect button
 - The VBUS Progress dialog will then display with 3 options:
 - Stop connection: button to stop establishing VBUS connection.
 - Debug: button to see the debug screen
 - OK: button to go to main screen
 - Upon establishing a connection to the VBUS device, you should hear a tone letting you know that device is now connected.




Programming Guide to the VisTracks® Platform

- **Manual Connection:**




- Hit the Manual Connection button
- Select VBUS-Device - “Geotab”
- Tap on the Next button

Programming Guide to the VisTracks® Platform



- The VBUS Progress dialog will then display with 3 options:
 - Stop connection: button to stop establishing VBUS connection.
 - Debug: button to see the debug screen
 - OK: button to go to main screen

Programming Guide to the VisTracks® Platform



- Upon establishing a connection to the VBUS device, you should hear a tone letting you know that device is now connected.

